










Прайс-лист № ПК-3/18 от 11.09.2018г.
на компрессорные установки и воздушные ресиверы
действует с 11.09.2018г.

1. Установки компрессорные серия «AIRCAST»
1.1. С горизонтальным расположением ресивера

Модель	 л	 ц/ст	 л/мин	 бар	 кВт	 В	 кг	Габариты АхВхС мм	Цена, БР без НДС
1. СБ4/С-50.LB24А	50	2/1	360	10	2.2	220	74	820x440x750	661,88
2. СБ4/С-50.LB24	50	2/1	360	10	2.2	380	74	820x440x750	706,88
3. СБ4/С-100.LB24А	100	2/1	360	10	2.2	220	86	1100x490x830	721,88
4. СБ4/С-100.LB24	100	2/1	360	10	2.2	380	86	1100x490x830	787,50
5. СБ4/С-50.LB30А	50	2/1	420	10	2.2	220	73	850x400x770	688,13
6. СБ4/С-50.LB30	50	2/1	420	10	2.2	380	73	850x400x770	733,13
7. СБ4/С-100.LB30А	100	2/1	420	10	2.2	220	88	1150x490x850	746,25
8. СБ4/С-100.LB30	100	2/1	420	10	2.2	380	88	1150x490x850	813,75
9. СБ4/С(Ф)-200.LB30А	200	2/1	420	10	2.2	220	124	1550x560x1000	1014,38
10. СБ4/С(Ф)-200.LB30	200	2/1	420	10	2.2	380	124	1550x560x1000	1061,25
11. СБ4/С-50.LB40	50	3/1	580	10	3.0	380	90	900x400x800	903,75
12. СБ4/С-50.LB30-3.0	50	2/1	500	9	3.0	380	77	850x400x770	903,75
13. СБ4/С-100.LB40	100	3/1	580	10	3.0	380	100	1130x500x880	945,00
14. СБ4/С-100.LB30-3.0	100	2/1	500	9	3.0	380	92	1150x490x850	945,00
15. СБ4/С-200.LB30-3.0	200	2/1	500	9	3.0	380	130	1550x560x1000	1141,88
16. СБ4/С(Ф)-200.LB40	200	3/1	580	10	3.0	380	140	1460x640x1150	1141,88
17. СБ4/С-100.LB50	100	2/1	690	10	4.0	380	130	1150x550x1000	1218,75
18. СБ4/Ф-270.LB50	270	2/1	690	10	4.0	380	180	1590x500x1100	1492,50
19. СБ4/С-270.LB50-5,5	270	2/1	880	10	5.5	380	185	1660x515x1100	1586,25
20. СБ4/С-100.LB75	100	3/1	950	10	5.5	380	143	1150x550x1150	1417,50
21. СБ4/Ф-270.LB75	270	3/1	950	10	5.5	380	195	1650x510x1150	1693,13
22. СБ4/Ф-500.LB75	500	3/1	950	10	5.5	380	230	2000x610x1250	1811,25
23. СБ4/Ф-500.LT100	500	4/2	1400	10	7.5	380	360	2000x610x1250	2441,25
24. СБ4/Ф-500.LT100-11.0	500	4/2	1700	10	11.0	380	365	2000x615x1250	2934,38
25. СБ4/Ф-500.LB75ТБ	500	3/1	1900	10	5.5+5.5	380	365	2000x610x1250	3772,50
26. СБ4/Ф-500.LB75Т	500	3/1	1900	10	5.5+5.5	380	365	2000x610x1250	4560,00

1.2. С вертикальным расположением ресивера

27. СБ4/С-100.LB30АВ	100	2/1	420	10	2.2	220	90	630x540x1240	836,25
28. СБ4/С-100.LB30В	100	2/1	420	10	2.2	380	90	630x540x1240	900,00
29. СБ4/С-100.LB40В	100	3/1	580	10	3.0	380	110	630x560x1300	1055,63
30. СБ4/Ф-270.LB50В	270	2/1	690	10	4.0	380	180	650x700x1750	1642,50
31. СБ4/Ф-270.LB75В	270	3/1	950	10	5.5	380	195	650x700x1800	1865,63
32. СБ4/Ф-270.LT100В	270	4/2	1400	10	7.5	380	290	1055x620x1900	2568,75

1.3. С осушителем холодильного типа

33. СБ4/Ф-500.LB50Д	500	2/1	690	10	4.0	380	330	2210x620x1210	4963,13
34. СБ4/Ф-500.LB75Д	500	3/1	950	10	5.5	380	360	2210x650x1390	5188,13
35. СБ4/Ф-500.LT100Д	500	4/2	1400	10	7.5	380	410	2210x650x1390	5551,88








1.4. Повышенного давления

36. СБ4/Ф-500.LT100/16	500	4/2	1400	16	11.0	380	370	2000x610x2053	3455,63
37. СБ4/Ф-500.LT100/16-7,5	500	4/2	1000	16	7.5	380	360	2000x610x1250	3052,50

1.4. С прямым приводом (серия "J")

Модель	 л	 ц/ст	 л/мин	 бар	 кВт	 В	 кг	Габариты АхВхС мм	Цена, БР без НДС
38. СБ4/С-20.J1047В	20	1/1	200	8	1,5	220	31	480x400x780	369,38
39. СБ4/С-20.J1048В	20	1/1	260	8	1,8	220	32	480x400x780	380,63
40. СБ4/С-20.J2047В	20	2/1	400	8	2,2	220	44	500x460x790	495,00
41. СБ4/С-24.J1047В	24	1/1	200	8	1,5	220	27	620x300x600	296,25
42. СБ4/С-24.J1048В	24	1/1	260	8	1,8	220	28	600x280x680	309,38
43. СБ4/С-50.J1047В	50	1/1	200	8	1,5	220	39	840x435x680	331,88
44. СБ4/С-50.J1048В	50	1/1	260	8	1,8	220	41	850x400x740	348,75
45. СБ4/С-50.J2047В	50	2/1	400	8	2,2	220	58	840x435x725	433,13
46. СБ4/С-100.J2047В	100	2/1	400	8	2,2	220	74	1080x490x805	476,25

1.5. С прямым приводом (серия "J"), вертикальное расположение ресивера

Модель	 л	 ц/ст	 л/мин	 бар	 кВт	 В	 кг	Габариты АхВхС мм	Цена, БР без НДС
47. СБ4/С-100.J2047ВВ	100	2/1	400	8	2,2	220	73	650x550x1240	523,13

2. Установки компрессорные серии «REMEZA»

2.1. С горизонтальным расположением ресивера

Модель	 л	 ц/ст	 л/мин	 бар	 кВт	 В	 кг	Габариты АхВхС мм	Цена, БР без НДС
1.СБ4/С-50.V47A	50	2/1	250	10	1.5	220	57	820x440x720	652,50
2.СБ4/С-100.V47A	100	2/1	250	10	1.5	220	71	1100x490x800	712,50
3.СБ4/Ф-500.W95ТБ	500	3/2	2400	10	7,5+7,5	380	460	2050x610x1300	4590,00
4.СБ4/Ф-500.W95Т	500	3/2	2400	10	7,5+7,5	380	460	2050x610x1300	5296,88
5.СБ4/Ф-500.W95	500	3/2	1200	10	7,5	380	320	2000x610x1300	2343,75

2.2. Передвижные


Модель	 л	 ц/ст	 л/мин	 бар	НР	двигатель	 кг	Габариты АхВхС мм	Цена, БР без НДС
С электрическим приводом									
6. СБ4/С-90.LB75	90	3/1	980	8	5.5	380	180	1400x840x1030	2047,50
7. СБ4/С-90.W95/6	90	3/1	1700	6	7.5	380	240	1400x860x1160	3397,50
8. СБ4/С-90.W115/6	90	3/1	2800	6	11.0	380	330	1400x860x1160	3669,38
С автономным приводом									
9. СБ4/С-90.LB75.SPE390R/E	90	3/1	980	8	13	Бенз/руч	180	1400x840x1030	3665,63
						Бенз/эл.	185		4055,63
10. СБ4/С-90.W95/6.SPE390R/E	90	3/1	1700	6	13	Бенз/руч	200	1400x840x1060	4143,75
						Бенз/эл.	205		4567,50

Бенз/руч (R)- бензиновый двигатель с ручным стартером

Бенз/эл (E) - бензиновый двигатель с электрическим стартером и аккумулятором

3. Установки компрессорные серии «FIAC»

3.1 С горизонтальным расположением ресивера

Модель	 л	 ц/ст	 л/мин	 бар	 кВт	 В	 кг	Габариты АхВхС мм	Цена, БР без НДС
1.СБ4/С-24.GM193	24	1/1	240	8	1.5	220	29	590x270x600	358,07
2.СБ4/С-24.GM244	24	1/1	260	8	1.8	220	29	590x270x600	377,72
3.СБ4/С-50.GM193	50	1/1	240	8	1.5	220	39	850x410x700	377,72
4.СБ4/С-50.GM244	50	1/1	260	8	1.8	220	39	850x410x700	406,10
5.СБ4/С-50.AB360A-1,5	50	2/1	250	10	1.5	220	59	850x400x770	644,08
6.СБ4/С-100.AB360A-1,5	100	2/1	250	10	1.5	220	76	1150x500x1000	709,58
7.СБ4/С-50.AB360A	50	2/1	360	10	2.2	220	61	850x400x770	707,40
8.СБ4/С-50.AB360	50	2/1	360	10	2.2	380	61	850x400x770	781,63
9.СБ4/С-100.AB360A	100	2/1	360	10	2.2	220	80	1150x500x1000	753,25
10.СБ4/С-100.AB360	100	2/1	360	10	2.2	380	80	1150x500x1000	805,65
11.СБ4/С-50.AB515	50	2/1	515	10	3.0	380	85	900x400x800	947,57

12.СБ4/С-100.АВ515	100	2/1	515	10	3.0	380	94	1150x500x1000	1004,33
13.СБ4/С(Ф)-200.АВ515	200	2/1	515	10	3.0	380	125	1460x640x1150	1310,00
14.СБ4/С-100.АВ678	100	2/2	650	10	4.0	380	125	1150x620x1025	1630,95
15.СБ4/С(Ф)-270.АВ678	270	2/2	650	10	4.0	380	175	1650x660x1150	1954,08
16.СБ4/С-100.АВ858	100	2/2	850	10	5.5	380	125	1150x510x1150	1705,18
17.СБ4/С(Ф)-270.АВ858	270	2/2	850	10	5.5	380	180	1650x510x1150	2030,50
18.СБ4/Ф-500.АВ858	500	2/2	850	10	5.5	380	220	2000x610x1250	2117,83
19.СБ4/Ф-500.АВ998	500	2/2	1000	10	7.5	380	230	2000x610x1250	2587,25
20.СБ4/Ф-500.АВ678ТБ	500	2/2	1300	10	4.0+4.0	380	290	2050x610x1200	3253,17
21.СБ4/Ф-500.АВ678Т	500	2/2	1300	10	4.0+4.0	380	290	2050x610x1200	3689,83
22.СБ4/Ф-500.АВ858ТБ	500	2/2	1700	10	5.5+5.5	380	300	2050x610x1200	3482,42
23.СБ4/Ф-500.АВ858Т	500	2/2	1700	10	5.5+5.5	380	300	2050x610x1200	3864,50
24.СБ4/Ф-500.АВ998ТБ	500	2/2	2000	10	7.5+7.5	380	300	2050x610x1200	4803,33
25.СБ4/Ф-500.АВ998Т	500	2/2	2000	10	7.5+7.5	380	300	2050x610x1200	5283,67

3.2 С вертикальным расположением ресивера

26.СБ4/С-100.АВ360АВ	100	2/1	360	10	2.2	220	80	630x540x1250	927,92
27.СБ4/С-100.АВ360В	100	2/1	360	10	2.2	380	80	630x540x1250	982,50
28.СБ4/С-100.АВ515В	100	2/1	515	10	3.0	380	95	630x560x1300	1194,28
29.СБ4/Ф-270.АВ678В	270	2/2	650	10	4.0	380	170	650x700x1800	2052,33
30.СБ4/Ф-270.АВ858В	270	2/2	850	10	5.5	380	180	650x700x1800	2139,67









3.3 Повышенного давления

Модель	 л	 цил/ст	 л/мин	 л/мин	 бар	 кВт	 В	 кг	Габариты АхВхС мм	Цена, БР без НДС
31.СБ4/Ф-270.АВ858/16	270	2/2	850	500	16	7.5	380	205	1650x510x1150	2292,50
32.СБ4/Ф-500.АВ858/16	500	2/2	850	500	16	7.5	380	250	2000x610x1250	2510,83
33.СБ4/Ф-500.АВ858Т/16	500	2/2	1700	1000	16	7.5+7.5	380	355	2000x610x1250	4257,50

3.4 С бензиновым приводом

Модель	 л	 цил/ст	 л/мин	 л/мин	 бар	 НР (л.с.)	 кг	Габариты АхВхС мм	Цена, БР без НДС
34.СБ4/С-100.АВ858-SPЕ390R	100	2/2	850	680	6/8	13.0	130	1150x700x1000	2892,92
35.СБ4/С-100.АВ998-SPЕ390R	100	2/2	1000	820	6/8	13.0	135	1150x700x1000	3157,10

4. Установки компрессорные безмаслянные








Модель	 л	 ц/ст	 л/мин, 8 бар	 л/мин, 5 бар	 бар	 кВт	 В	 кг	д Б	Габариты АхВхС мм	Цена, БР без НДС
С прямым приводом											
1.СБ4-24.Ф114	24	1/1	60	70	8	0,75	220	35	72	475x465x740	753,25
2.СБ4-8.Ф114К	8	1/1	60	70	8	0,75	220	45	57	615x400x760	1279,43
3.СБ4-24.ГMS150	24	1/1	110	120	8	1,1	220	40	75	475x465x700	1102,58
4.СБ4-24.ГMS150М	24	1/1	110	120	8	1,1	220	45	75	570x465x700	2194,25
5.СБ4-16.ГMS150К	16	1/1	110	120	8	1,1	220	80	57	640x515x800	1685,53
6.СБ4-16.ГMS150КМ	16	1/1	110	120	8	1,1	220	85	57	640x515x800	2777,20
7.СБ4-24.VS204	24	2/1	150	165	8	1,5	220	45	75	475x465x690	1441,00
8.СБ4-24.VS204М	24	2/1	150	165	8	1,5	220	50	75	570x465x690	2532,67
9.СБ4-16.VS204К	16	2/1	150	165	8	1,5	220	85	65	640x515x800	2023,95
10.СБ4-16.VS204КМ	16	2/1	150	165	8	1,5	220	87	65	640x515x800	3115,62
11.СБ4-50.VS204	50	2/1	150	165	8	1,5	220	55	75	475x465x825	1478,12
12.СБ4-50.VS204М	50	2/1	150	165	8	1,5	220	60	75	570x465x825	2569,78
13.СБ4-100.VS204Т	100	4/1	300	330	8	1,5+1,5	220	105	79	1190x420x880	2713,88
14.СБ4-100.VS204ТМ	100	4/1	300	330	8	1,5+1,5	220	110	79	1190x500x880	4897,22

М - исполнение с осушителем мембранного типа, точка росы минус 20°С, потери сжатого воздуха на осушителе 15%.

К - в шумозащитном корпусе.

Т - исполнение "Тандем", два узла насоса на одном ресивере.

5. Безмаслянные малозумные компрессоры с насосами TWIN Cylinder 1HP, 1,5HP, 2,0HP.

Модель								Габариты АхВхС мм	Цена, БР без НДС
	л	ц/ст	л/мин	бар	кВт	В	кг		
1.СБ4/С-20.OLD15	20	2/1	200	8	1,1	220	35	480x400x780	665,63
2.СБ4/С-20.OLD20	20	2/1	250	8	1,4	220	38	480x400x780	825,00
3.СБ4/С-24.OLD10	24	2/1	135	8	0,75	220	28	595x300x600	515,63
4.СБ4/С-24.OLD15	24	2/1	200	8	1,1	220	34	595x300x660	637,50
5.СБ4/С-24.OLD20	24	2/1	250	8	1,4	220	40	595x300x660	825,00
6.СБ4/С-24.OLD20-3	24	2/1	250	8	1,4	380	40	595x300x660	909,38
7.СБ4/С-50.OLD15	50	2/1	200	8	1,1	220	44	840x445x740	693,75
8.СБ4/С-50.OLD20	50	2/1	250	8	1,4	220	50	840x445x740	881,25
9.СБ4/С-50.OLD20-3	50	2/1	250	8	1,4	380	50	840x445x740	965,63
10.СБ4/С-50.OLD20-3/10	50	2/2	125	10	1,4	380	50	840x445x740	1003,13
11.СБ4-100.OLD15Т	100	4/1	400	8	2,2(1,1+1,1)	220	87	1190x420x900	1359,38
12.СБ4-100.OLD20-3Т	100	4/1	500	8	2,8(1,4+1,4)	380	90	1190x420x900	1884,38
13.СБ4-100.OLD20-3Т/10	100	4/2	250	10	2,8(1,4+1,4)	380	93	1190x420x900	1959,38
14.СБ4-150.OLD20x3	150	6/1	750	8	4,2(1,4x3)	380	120	1600x435x810	2690,63
15.СБ4-150.OLD20x4	150	8/1	1000	8	5,6(1,4x4)	380	140	1600x435x810	3309,38

6. Ресиверы

Модель	Объем ресивера, л	Давление, атм.	 кг	Габариты АхС, мм	Цена, БР без НДС
1. Ресивер PB270.11.02 с арматурой	270	11	80	630x540x1250	513,08
2. Ресивер PB270.16.00 с арматурой	270	16	95	630x560x1300	550,20
3. Ресивер PB500.11.00 с арматурой	500	11	160	650x650x1750	622,25
4. Ресивер PB500.11.01 с арматурой	500	11	160	650x650x1750	622,25
5. Ресивер PB500.11.02 с арматурой	500	11	160	650x650x1750	622,25
6. Ресивер PB500.16.00 с арматурой	500	16	170	650x700x1800	687,75
7. Ресивер PB500.16.01 с арматурой	500	16	170	650x700x1800	687,75
8. Ресивер PB500.16.02 с арматурой	500	16	170	650x700x1800	687,75
9. Ресивер PB900.10.00 с арматурой	900	10	227	810x1010x2170	1473,75
10. Ресивер PB900.10.01 с арматурой	900	10	227	810x1010x2170	1648,42

7. Установки компрессорные повышенного давления









модель	обороты	Производительность, л/мин	Эл/двиг.	Вес	Габариты	Цена, БР без НДС
			кВт	кг	мм	
1.ВР10-30-00	980	500	7,5	195	1300x600x700	7104,57
2.ВР15-30-00	1700	800	11,0	215	1300x600x700	7379,67
3.ВР15-20-00	1250	1000	11,0	215	1300x600x700	7379,67

8. Установки компрессорные дожимные (бустеры)









модель	обороты	Давление на входе	Треб.объем на входе	Производительность, л/мин		Эл/двиг.	Цена в БР без НДС
		бар	л/мин	25 бар	35 бар	кВт	
1.ВА20/2-6/35-00	760	6	2750			15	15859,73
2.ВА20/2-8/35-00	760	8	3500			15	15859,73
3.ВА20/2-10/35-00	760	10	4200			15	15859,73
4.ВА20/2-6/25-00	760	6	2750	2200		15	15859,73
5.ВА20/2-8/25-00	760	8	3500	2800		15	15859,73
6.ВА20/2-10/25-00	760	10	4200	3500		15	15859,73
7.ВА20/3-6/25-00	650	6	3600	2800		15	19955,67
8.ВА20/3-8/25-00	650	8	4500	3600		15	19955,67
9.ВА20/3-10/25-00	650	10	5400	4300		15	19955,67
10.ВА25-6/35-00	650	6	3400		2700	18,5	20370,50
11.ВА25-8/35-00	650	8	4300		3400	18,5	20370,50
12.ВА25-10/35-00	650	10	5200		4150	18,5	20370,50

13. BA25-6/25-00	760	6	4400	3500		18,5	20370,50
14. BA25-8/25-00	760	8	5600	4500		18,5	20370,50
15. BA25-10/25-00	760	10	6900	5500		18,5	20370,50
16. BA30-6/35-00	760	6	4200		3300	22	20776,60
17. BA30-8/35-00	760	8	5400		4300	22	20776,60
18. BA30-10/35-00	760	10	6300		5000	22	20776,60

9. Компрессоры безмасляные серии «F» ременный привод

Модель	 л	 Ц/СТ	 л/МИН	 л/МИН	 бар	 кВт	 В	 кг	Габариты АхВхС мм	Цена, БР без НДС
1. СБ4-F22	-	2/1	420	250	10	2,2	220/380	67	900x550x700	4290,25
2. СБ4-100.F22	100	2/1	420	250	10	2,2	220/380	88	1180x500x1000	4726,92
3. СБ4-F37	-	2/1	675	405	10	4,0	380	101	1100x600x700	6091,50
4. СБ4-270.F37	270	2/1	675	405	10	4,0	380	180	1670x600x1200	6812,00
5. СБ4-F55 (14)	-	2/2	690/ 560	520/ 420	10/14	5,5	380	130	1100x600x740	8165,67
6. СБ4-500.F55 (14)	500	2/2	690/ 560	520/ 420	10/14	5,5	380	250	2000x620x1440	9279,17
7. СБ4-F75 (14)	-	3/2	1120/ 900	800/ 675	10/14	7,5	380	158	1100x625x780	9704,92
8. СБ4-500.F75 (14)	500	3/2	1120/ 900	800/ 675	10/14	7,5	380	315	2000x620x1440	10818,42
9. СБ4-F110 (14)	-	3/2	1620/ 1300	1180/ 975	10/14	11,0	380	180	1100x620x820	10676,50
10. СБ4-500.F110 (14)	500	3/2	1620/ 1300	1180/ 975	10/14	11,0	380	337	2000x620x1440	11790,00

10. Компрессоры безмасляные серии «OLD»

Модель	 л	 Ц/СТ	 л/МИН, 8 бар	 л/МИН, 5 бар	 Ба р	 кВт	 В/Гц	 кг	Д Б А	Габариты АхВхС мм	Цена, БР без НДС
1. СБ4-24.OLD10С	24	2/1	70	75	8	0,75	220/50	32	63	475x465x645	798,75
2. СБ4-24.OLD10СМ	24	2/1	70	75	8	0,75	220/50	37	63	570x465x645	2036,25
3. СБ4-24.OLD10СК	24	2/1	70	75	8	0,75	220/50	77	48	500x505x900	1867,50
4. СБ4-24.OLD10СКМ	24	2/1	70	75	8	0,75	220/50	79	48	500x505x900	2767,50
5. СБ4-24.OLD15С	24	2/1	115	135	8	1,1	220/50	40	65	475x465x710	1068,75
6. СБ4-24.OLD15СМ	24	2/1	115	135	8	1,1	220/50	47	65	570x465x710	2306,25
7. СБ4-24.OLD15СК	24	2/1	115	135	8	1,1	220/50	85	51	500x505x900	2137,50
8. СБ4-24.OLD15СКМ	24	2/1	115	135	8	1,1	220/50	87	51	500x505x900	3037,50
9. СБ4-50.OLD15С	50	2/1	115	135	8	1,1	220/50	46	65	475x465x845	1113,75
10. СБ4-50.OLD15СМ	50	2/1	115	135	8	1,1	220/50	51	65	570x465x845	2351,25
11. СБ4-100.OLD15СТ	100	4/1	230	270	8	2,2 (1,1+1,1)	220/50	86	68	1190x420x900	1980,00
12. СБ4-100.OLD15СТМ	100	4/1	230	270	8	2,2 (1,1+1,1)	220/50	96	68	1190x500x900	4455,00
13. СБ4-100.OLD15СТК	100	4/1	230	270	8	2,2 (1,1+1,1)	220/50	106	60	1090x450x980	2362,50
14. СБ4-100.OLD15СТКМ	100	4/1	230	270	8	2,2 (1,1+1,1)	220/50	116	60	1090x450x980	4837,50
15. СБ4-24.OLD20С	24	2/1	160	180	8	1,4	220/50	44	66	475x465x710	1316,25
16. СБ4-24.OLD20СМ	24	2/1	160	180	8	1,4	220/50	49	66	570x465x710	2553,75
17. СБ4-24.OLD20СК	24	2/1	160	180	8	1,4	220/50	87	53	500x505x900	2385,00
18. СБ4-24.OLD20СКМ	24	2/1	160	180	8	1,4	220/50	89	53	500x505x900	3285,00
19. СБ4-50.OLD20С	50	2/1	160	180	8	1,4	220/50	48	66	475x465x845	1361,25
20. СБ4-50.OLD20СМ	50	2/1	160	180	8	1,4	220/50	53	66	570x465x845	2598,75
21. СБ4-100.OLD20СТ	100	4/1	320	360	8	2,4 (1,4+1,4)	380/50	90	70	1190x420x900	2475,00
22. СБ4-100.OLD20СТМ	100	4/1	320	360	8	2,4 (1,4+1,4)	380/50	100	70	1190x500x900	4950,00

23.СБ4-100.OLD20СТК	100	4/1	320	360	8	2,4 (1,4+1,4)	380/50	110	60	1090x450x980	2970,00
24. СБ4-100.OLD20СТКМ	100	4/1	320	360	8	2,4 (1,4+1,4)	380/50	120	60	1090x450x980	5445,00
25.СБ4-150.OLD20х3С	150	6/1	480	540	8	4,2(1,4x3)	380/50	120	73	1600x435x810	3363,75
26.СБ4-150.OLD20х4С	150	8/1	640	720	8	5,6(1,4x4)	380/50	140	75	1600x435x810	4106,25

11. Установки компрессорные серия «ТС»

Модель	 л	 ц/ст	 л/мин	 бар	 кВт	 В	 кг	Габариты АхВхС мм	Цена, БР без НДС
1. СБ4/С-50.ТС3065-2.2	50	3/1	420	10	2.2	380	102	900x450x850	688,15
2. СБ4/С-100.ТС3065-2.2	100	3/1	420	10	2.2	380	112	1140x550x900	720,00